



# Tube Series

Thermal Imaging Riflescopes


TL35



# Reticle Catalogue



## Reticle Parameters




**Tube Series**  
Thermal Imaging Rifle Scope

	<b>MOA</b>	<b>cm @100m</b>
<b>Model</b>	<b>TL35</b>	<b>TL35</b>
<b>Section A</b>	6.5	18.85
<b>Section B</b>	6.5	18.85
<b>Section C</b>	0.6	1.7



## Reticle Parameters




## Tube Series

Thermal Imaging Riflescope

Model	MOA	cm @100m
	TL35	TL35
Section A	6.5	18.85
Section B	6.5	18.85
Section C	0.6	1.7
Section D	63.7	185.1
Section E	3.5	10.3



## Reticle Parameters




## Tube Series

Thermal Imaging Riflescope

Model	MOA	cm @100m
	TL35	TL35
Section A	0.6	1.7
Section B	53.1	154.26
Section C	28.3	82.27
Section D	2.95	8.57




## Reticle Parameters




Model	MOA	cm @100m
	<b>TL35</b>	<b>TL35</b>
<b>Section A</b>	6.5	18.85
<b>Section B</b>	6.5	18.85
<b>Section C</b>	0.6	1.7
<b>Section D</b>	3.5	10.3
<b>Section E</b>	74.3	215.96
<b>Section F</b>	35.4	102.84
<b>Section G</b>	2.95	8.57

**Tube Series**  
Thermal Imaging Riflescope



## Reticle Parameters





Model	MOA	cm @100m
TL35		
<b>Section A</b>	6.5	18.85
<b>Section B</b>	6.5	18.85
<b>Section C</b>	0.6	1.7
<b>Section D</b>	50.1	145.69
<b>Section E</b>	84.3	245.1
<b>Section F</b>	0.6	1.7

**Tube Series**  
Thermal Imaging Riflescope



• **SCALABLE** •

**Reticle Parameters**  
(Apply to all magnifications)



Model	MOA	cm @100m
<b>Section A</b>	6.5	18.85
<b>Section B</b>	6.5	18.85
<b>Section C</b>	0.6	1.7
<b>Section D</b>	3.54	10.28
<b>Section E</b>	3.54	10.28
<b>Section F</b>	28.3	82.27
<b>Section G</b>	21.23	61.7
<b>Section H</b>	2.95	8.57

**Tube Series**  
Thermal Imaging Riflescope